

Dräger Saver PP Emergency Escape Breathing Apparatus (EEBA)

The Saver PP constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.



WHEN TIME IS OF THE ESSENCE

In emergency situations, conditions can deteriorate rapidly. The air is suddenly filled with smoke or toxic fumes and rapid escape is the only available option. The Dräger Saver PP was designed for use by trained personnel. When opened, the Dräger Saver PP is automatically activated and begins feeding a continuous supply of compressed air. The Saver PP gives the wearer the precious additional time needed to exit the area safely.

HIGHLY VISIBLE, EVEN UNDER ADVERSE CONDITIONS

Available with either a soft bag or hard case, the Saver PP can be easily wall-mounted in strategic locations in potentially hazardous areas. Both black anti-static cases or bright orange bags feature photoluminescent panels and reflective stripes for enhanced visibility, even under low lighting conditions. The Saver PP is compact and lightweight and can be worn either across the chest or over the shoulder. Made from highly resistant materials, it is washable, flame retardant and allows water to drain freely.

UP TO 15 MINUTES OF LIFESAVING AIR

The Dräger Saver PP utilizes a simple, fail-safe reducer system with excellent flow characteristics, providing a consistent rate of air flow until the cylinder is completely empty. It can be equipped with cylinders which can hold either a 10 or 15 minute supply of air. The unit can easily be reset following a false alarm. Cylinders can be refilled without the need for special tools.

PANORAMA NOVA FULL-FACE MASK


The Panorama Nova full-face mask which comes with the Saver PP is another high-quality product manufactured by Dräger. This reliable full-face mask features low exhalation resistance, provides excellent peripheral vision and is self-defogging. The elastic head harness is easy to put on in an emergency and holds the mask securely in place, even under strenuous conditions. The mask can be worn together with ear protectors and helmets.



Dräger Saver PP - soft bag



Dräger Saver PP - hard case



INTEGRATED HOSE FOR CONNECTION TO EXTERNAL AIR SUPPLIES

The new Dräger PP now features an integrated air hose for connection to external mid-pressure air supplies, commonly found in muster stations and in emergency assembly areas. This feature provides the user with potentially lifesaving protection in prolonged escape situations. Hose attachment and detachment are quick, safe and easy.

LOW-MAINTENANCE, LOW COST PROTECTION

Unless otherwise specified by local regulations, the Dräger Saver PP should require little to no service or maintenance for the first 10 years. A transparent window on both the soft bag and hard case lets you check the cylinder pressure gauge easily without unpacking the unit. Checks should be performed at regular intervals. You can then rely on the Dräger Saver PP to be there for you when you need it.

CONFORMS TO RELEVANT STANDARDS AND NORMS

The Dräger Saver PP complies with EN402:2003, Lloyd's Register Certificate of Fire Approval and Lloyd's Register Certificate of Type Approval. It also complies with SOLAS Chapter II-2, the Marine Equipment Directive, the Pressure Equipment Directive and ISO 23269-1:2008. Hard case and anti-static soft bag versions are also suitable for use in explosive atmospheres (ATEX zone 0).







Dräger Saver PP hard case Safely escape to a muster area

3380167





Dräger Saver PP



Dräger Saver PP soft bag

TECHNICAL DATA

- 5 litre refill

	Dräger Saver PP		
Size (H x L x D)	510 x 260 x 190 mm		
Cylinder charging pressure	200 bar		
LDV output flow L/min	500 L/min		
Operating temperature range	-15 °C to +60 °C EN402:2003, ISO 23269-1:2008, SOLAS Chapter II-2, the Marine Equipment Directive and the Pressure Equipment Directive. The Dräger Saver PP hard case and anti-static soft bag versions are suitable for use in explosive atmospheres (ATEX zone 0).		
Approvals			
	PP10	PP15	
Weight (Kg) including cylinder			
Hard case	6.6 kg	7.6 kg	
Soft bag	4.9 kg	5.9 kg	
Cylinder	2L 200 bar	3L 200 bar	
ORDER INFORMATION			
<u>Dräger Saver PP – Soft bag versions</u> Saver PP10	5		335974
Saver PP10 Saver PP15			335974
Saver PP10 Anti-static			335974
Saver PP10 Anti-static Saver PP15 Anti-static			335974
			335974
Saver PP10 plus secondary supply			
Saver PP15 plus secondary supply			335975
Saver PP10 plus secondary supply Anti-static			335975
Saver PP15 plus secondary supply Ar	nti-static		335975
Dräger Saver PP – Hard case versio	ns		
Saver PP10			335975
Saver PP15			335975
Saver PP10 plus secondary supply			335975
Saver PP15 plus secondary supply			
Accessories			
Anti-static bag for Saver PP15			336034
Anti-static bag for Saver PP10			336034
Saver waistbelt			335039
Security tab			335038
Wall mounting kit for carry case			335043
Carry case			335042
Storage wall box			335182
Wall bracket (for hard case versions)			336051
Safety Wash			
- 1 litre dispenser			338016
- 1 litre refill			338016
- 5 litre dispenser			338016
- 5 litre refill			338016